



Sustainability: Product Recycled Content

1. Recycled content - %Pre-consumer Recycled content

Pre-consumer scrap is calculated from in plant scrap and by products that is remelted.

2. Recycled content - %Post-consumer Recycled content

Post-consumer scrap is calculated from purchased recycled scrap metal used as a raw material into the process.

3. Total recycled content

The total recycled content is calculated as a percentage of metallic input.

	Pre-	Post-	
	consumer	consumer	Total
Carbon steel	2.8%	96.0%	98.8%
Duplex Stainless Steel	20.5%	61.8%	82.2%
Austenitic Stainless Steel	18.8%	69.0%	87.8%
Heat Resisting Austenitic	16.8%	61.1%	77.9%
Mo Austenitic Stainless Steel	29.2%	58.5%	87.6%
Utility Ferritic Stainless Steel	11.0%	79.5%	90.6%
Ferritic Stainless Steel	8.2%	77.9%	86.0%
Mo Ferritic Stainless Steel	12.8%	72.4%	85.2%
Stabilised Ferritic Stainless Steel	11.6%	75.5%	87.1%
Total Stainless Steel	13.0%	74.5%	87.5%
Total Production	10.4%	79.9%	90.3%

The percentages above are calculated from historical production data and may vary per product and over time.

Yours faithfully

DJ Kruger

Senior Manager: Technical

Columbus Stainless



